

According to Safe Work Australia

Revision: 20.07.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: TASERPRO® 800 WP INSECTICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Insecticide

Details of Manufacturer or Importer:

Sundew Solutions Pty Ltd Unit 11, 4 Dunlop Court Bayswater VIC 3153

Phone Number: 1800 786 339

Emergency telephone number: 1800 786 339

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



skull and crossbones

Acute Toxicity (Oral) 3 H301 Toxic if swallowed. Acute Toxicity (Inhalation) 3 H331 Toxic if inhaled.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Dermal) 4 H312 Harmful in contact with skin.

Signal Word Danger

Hazard Statements

H301+H331 Toxic if swallowed or if inhaled. H312 Harmful in contact with skin.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.
P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 1)

P271 Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).
P311 Call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P391 Collect spillage.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
	bendiocarb (ISO)	80%
	Acute Toxicity (Oral) 3, H301; Acute Toxicity (Inhalation) 3, H331; Acute 1, H400; Aquatic Chronic 1, H410; Acute Toxicity (Dermal) 4, H312	
7631-86-9	Silica	<9%

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 20 minutes. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic by inhalation.

Skin Contact: May cause skin irritation. Harmful if absorbed through skin

Eye Contact: May cause eye iritation.

Ingestion: Toxic if swallowed. Symptoms include nausea, vomiting, diarrhoea, sweating, lachrymation, salivation,

hypotension, respiratory paralysis, respiratory failure and coma.

(Contd. on page 3)

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 2)

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray or fog, foam, dry chemical or carbon dioxide. Do not use high volume water jet.

Specific Hazards Arising from the Chemical:

Thermal decomposition can lead to release of methyl isocyanate.

Combustible solid product.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking

Environmental Precautions: In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and cover with a plastic sheet to prevent spreading. Sweep and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extremes of temperature and direct sunlight. Keep away from strong oxidising agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

7631-86-9 Silica

WES TWA: 2 mg/m³

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

(Contd. on page 4)

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 3)

Skin Protection:

Impervious nitrile rubber or PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Powder Colour: Off-white

Odour:
Odour Threshold:
PH-Value:
No information available

Flash Point: Not applicable

Flammability: Combustible solid product

Auto-ignition Temperature: Not determined Decomposition Temperature: Not determined

Explosion Limits:

Lower: Not determined.
Not applicable

Upper:Not applicableVapour Pressure:Not applicableDensity:0.35 g/cm³

Vapour Density: No information available

Evaporation Rate: Not determined Solubility in Water: Miscible

Partition Coefficient (n-octanol/water): Not determined. Viscosity: Not applicable

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extremes of temperature and direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Thermal decomposition can lead to release of methyl isocyanate.

(Contd. on page 5)

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 4)

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification: No information available

Acute Health Effects

Inhalation: Toxic by inhalation.

Skin: May cause skin irritation. Harmful if absorbed through skin

Eve: May cause eye iritation.

Ingestion:

Toxic if swallowed. Symptoms include nausea, vomiting, diarrhoea, sweating, lachrymation, salivation, hypotension, respiratory paralysis, respiratory failure and coma.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met. Serious

Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Silica, amorphous is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bendiocarb for a human is 0.004 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.4 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', March 2016).

12. ECOLOGICAL INFORMATION

Ecotoxicity: Bendiocarb is a highly toxic to birds and earthworms.

Aquatic toxicity: Bendiocarb is a highly acute toxic insecticide both to fish and freshwater invertebrates.

Persistence and Degradability:

Bendiocarb half-life varies with soil type from less than a week to up to four weeks.

Bioaccumulative Potential: No information available

Mobility in Soil: No information available

(Contd. on page 6)

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 5)

Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

UN Number UN2757

Proper Shipping Name CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB

MIXTURE)

Dangerous Goods Class 6.1
Packing Group:

Marine pollutant: Yes

Symbol (fish and tree)

EMS Number: F-A,S-F
Hazchem Code: 2X
Special Provisions: 61, 274
Limited Quantities: 500 g

Packagings & IBCs - Packing Instruction: P002, IBC08

Packagings & IBCs - Special Packing Provisions: B2, B4
Portable Tanks & Bulk Containers - Instructions: T3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

22781-23-3 bendiocarb (ISO)

7631-86-9 Silica

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16. OTHER INFORMATION

Date of Preparation or Last Revision: 20.07.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC_{50} : Lethal concentration, 50 percent

According to Safe Work Australia

Revision: 20.07.2021

Product Name: TASERPRO® 800 WP INSECTICIDE

(Contd. of page 6)

LD₅₀: Lethal dose, 50 percent IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity - Category 3

Acute Toxicity (Dermal) 4: Acute toxicity - Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Sundew Solutions Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.