

Safety Data Sheet according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

1 Identification

Product Name: MethioSHIELD™ Snail & Slug Bait

Other Means of Identification: Mixture

APVMA Approval Number: 92530

Recommended Use of the Chemical and Restriction on Use: Molluscicide, Insecticide

Details of Manufacturer or Importer:

Sundew Solutions Pty Ltd
Unit 11, 4 Dunlop Court
Bayswater VIC 3153

Phone Number: 1800 786 339

Emergency telephone number: 1800 786 339

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

Product Name: MethioSHIELD™ Snail & Slug Bait

(Contd. of page 1)

Hazardous Components:		
CAS: 7778-18-9	Calcium sulfate	1-10%
CAS: 2032-65-7	Methiocarb (ISO)	2%
	☠ Acute Toxicity (Oral) 3, H301; Acute Toxicity (Inhalation) 2, H330; ☠ Aquatic Chronic 1, H410	
CAS: 128-37-0	Butylated hydroxytoluene	<1%
	☠ Aquatic Chronic 1, H410	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1-2 glasses of water to drink in small sips. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen cyanide, methyl isocyanate, smoke and other unidentified potentially toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep pellets into a pile and transfer into appropriate container for subsequent disposal. Use vacuum cleaner where suitable. Avoid generating dust.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

Product Name: MethioSHIELD™ Snail & Slug Bait

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from oxidising agents and bases.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 7778-18-9 Calcium sulfate**

WES	TWA: 10 mg/m ³ inhalable dust
-----	---

CAS: 128-37-0 Butylated hydroxytoluene

WES	TWA: 10 mg/m ³
-----	---------------------------

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear approved particulate respirator (filter type P). At high dust levels, wear a powered air purifying respirator (PAPR) with P3 filter or an air-line respirator or a full-face P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Pellets
Colour:	Blue
Odour:	Weak, characteristic
Odour Threshold:	No information available
pH-Value at 23 °C:	5.5 - 6.5 (10% in deionised water)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	Not applicable
Flammability (solid, gas):	Not flammable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

Product Name: MethioSHIELD™ Snail & Slug Bait

(Contd. of page 3)

Explosion Limits:**Lower:** No information available**Upper:** No information available**Vapour Pressure:** Not applicable**Density:** approx. 1 g/cm³**Vapour Density:** Not applicable**Evaporation Rate:** Not applicable**Solubility in Water:** Insoluble**Partition Coefficient (n-octanol/water):** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Direct sunlight. Excessive moisture.**Incompatible Materials:** Oxidising agents and bases.**Hazardous Decomposition Products:**

Oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen cyanide, methyl isocyanate, smoke and other unidentified potentially toxic gases.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:**

Oral	LD50	500-1,000 mg/kg (Rattus norvegicus (rat))
------	------	---

CAS: 2032-65-7 Methiocarb (ISO)

Oral	LD50	19 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	5,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	>0.433 mg/l (Rattus norvegicus (rat))

CAS: 128-37-0 Butylated hydroxytoluene

Oral	LD50	890 mg/kg (Rattus norvegicus (rat))
	LD50	>5,000 mg/kg (Oryctolagus cuniculus (rabbit))

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

Butylated hydroxytoluene (BHT) is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

Product Name: MethioSHIELD™ Snail & Slug Bait

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No data associated with long term health effects.**Existing Conditions Aggravated by Exposure:** No data available.**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for methiocarb for a human is 0.002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.2 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

CAS: 128-37-0 Butylated hydroxytoluene

EC50/48 h 0.61 mg/l (Daphnia magna (water flea))

EC50/72 h >0.42 mg/l (Scenedesmus subspicatus (green algae))

LC50/96 h 0.57 mg/l (Danio rerio (zebra fish))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA**

UN3077

Proper Shipping Name**ADG, IMDG, IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Methiocarb (ISO), Butylated hydroxytoluene), MARINE POLLUTANT

Dangerous Goods Class**ADG Class:**

9

Packing Group:**ADG, IMDG, IATA**

III

Marine pollutant:

Yes

EMS Number:

F-A,S-F

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 13.11.2023

Revision date: 13.11.2023

Product Name: MethioSHIELD™ Snail & Slug Bait

(Contd. of page 5)

Hazchem Code:	2Z
Special Provisions:	274, 331, 335, 375, AU01
Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provisions:	PP12, B3
Portable Tanks & Bulk Containers - Instructions:	T1, BK2, BK3
Portable Tanks & Bulk Containers - Special Provisions:	TP33

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 92530.

16 Other Information

Date of Preparation or Last Revision: 13.11.2023

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.