

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:**  
Agricultural insecticide for exterior control of ants.

**Details of Manufacturer or Importer:**

Sundew Solutions Pty Ltd  
Unit 11, 4 Dunlop Court  
Bayswater VIC 3153

**Phone Number:** 1800 786 339

**Emergency telephone number:** National Poisons Information Centre: 13 11 26

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

**Signal Word** Warning

**Hazard Statements**

H302 Harmful if swallowed.

**Precautionary Statements**

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

82657-04-3	Bifenthrin (ISO)	 Acute Toxicity (Oral) 3, H301	7.5-8%
------------	------------------	---	--------

## 4 . FIRST AID MEASURES

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin irritation, remove contaminated clothing and wash affected areas with water and soap for 10 minutes. Seek medical attention.

(Contd. on page 2)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

**Product Name: ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE**

(Contd. of page 1)

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention.

**Symptoms Caused by Exposure:**

Inhalation: Vapours may cause respiratory discomfort. Inhalation of high vapour concentration may cause effects similar to those of ingestion.

Skin Contact: May cause mild skin irritation, numbness, stinging or burning sensation.

Eye Contact: May cause eye irritation, stinging, reddening and watering. Prolonged exposure or delayed treatment may cause permanent eye damage.

Ingestion: Harmful if swallowed, causing headache, dizziness, drowsiness, incoordination, tremors, salivation, vomiting, diarrhoea and irritability to sound and touch. May cause irritation, redening and burning sensation to mouth and throat.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, alcohol resistant foam, dry chemical or carbon dioxide.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, smoke and water.

Combustible liquid Class 1.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers. Vapours may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area, preventing runoff from entering drains.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

**Product Name: ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE**

(Contd. of page 2)

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents and strong reducing agents, acids and alkalis.

## 8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**57-55-6 1,2-Propanediol**

WES	TWA: 474* 10** mg/m <sup>3</sup> , 150* ppm *vapour&particulates;**particulates only
-----	---

**Engineering Controls:** Ensure adequate ventilation of the working area.

**Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 . PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:**

<b>Form:</b>	Opaque semi viscous liquid
<b>Colour:</b>	Off-white to white
<b>Odour:</b>	No information available
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	4.5-6
<b>Melting point/Melting range:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	>100 °C
<b>Flammability:</b>	Combustible liquid Class 1
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available
<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	No information available
<b>Relative Density:</b>	1-1.05
<b>Vapour Density:</b>	No information available

(Contd. on page 4)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

**Product Name: ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE**

(Contd. of page 3)

**Evaporation Rate:** No information available  
**Solubility in Water:** Emulsifies into water.

### 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur. **Chemical Stability:** Stable at ambient temperature and under normal conditions of use. **Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents and strong reducing agents, acids and alkalis. **Hazardous Decomposition Products:** Oxides of carbon, smoke and water.

### 11 . TOXICOLOGICAL INFORMATION

#### Toxicity:

#### LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:

#### 82657-04-3 Bifenthrin (ISO)

Oral	LD <sub>50</sub>	54 - 70 mg/kg (rat)
Dermal	LD <sub>50</sub>	>2000 mg/kg (rabbit)

#### Acute Health Effects

##### Inhalation:

Vapours may cause respiratory discomfort. Inhalation of high vapour concentration may cause similar to that of ingestion.

**Skin:** May cause mild skin irritation, numbness, stinging or burning sensation.

##### Eye:

May cause eye irritation, stinging, reddening and watering. Prolonged exposure or delayed treatment may cause permanent eye damage.

##### Ingestion:

Harmful if swallowed, causing headache, dizziness, drowsiness, incoordination, tremors, salivation, vomiting, diarrhoea and irritability to sound and touch. May cause irritation, reddening and burning sensation to mouth and throat.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met. **Serious**

**Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.

**Chronic Health Effects:** Prolonged exposure or delayed treatment may cause permanent eye damage.

**Existing Conditions Aggravated by Exposure:** No information available

#### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bifenthrin for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1 mg/kg/day, the level determined to show no effects

(Contd. on page 5)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

**Product Name: ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE**

(Contd. of page 4)

during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', March 2025).

### 12 . ECOLOGICAL INFORMATION

**Ecotoxicity:**

Bifenthrin is toxic to bees.

Bifenthrin is moderately toxic to birds:

**Aquatic toxicity:****82657-04-3 Bifenthrin (ISO)**

LC <sub>50</sub> /96 h	0.00035 mg/L (bluegill)
	0.00015 mg/L (rainbow trout)
	0.0016 mg/L (daphnia)

Highly toxic to aquatic life with long lasting effects.

**Persistence and Degradability:** Half-life in soil: 7 days - 8 months.**Bioaccumulative Potential:** There is some concern that bifenthrin may bioaccumulate in birds.**Mobility in Soil:**

Bifenthrin has a high affinity for soil particles and low solubility in water. Bifenthrin has low mobility in soil and there are no concerns about leaching or groundwater contamination.

**Other adverse effects:** No information available

### 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

### 14 . TRANSPORT INFORMATION

**UN Number****ADG****IMDG, IATA**

Not regulated

UN3082

**Proper Shipping Name****ADG****IMDG, IATA**

Not regulated

ENVIRONMENTALLY HAZARDOUS SUBSTANCE ,  
LIQUID, N.O.S.**Dangerous Goods Class****ADG Class:****IMDG Class:**

Not regulated

9 Miscellaneous dangerous substances and articles.

**Packing Group:****ADG****IMDG, IATA**

Not regulated

III

**Marine pollutant:**

No

Symbol (fish and tree)

**EMS Number:**

F-A,S-F

**Hazchem Code:**

.3Z

**Special Provisions:**

179, 274, 331, 335, AU01

(Contd. on page 6)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 07.03.2026

Revision: 07.03.2026

**Product Name: ANTAGONIST® PRO 80 SC RESIDUAL INSECTICIDE**

(Contd. of page 5)

**Limited Quantities:** 5L

**Packagings & IBCs - Packing Instruction:** P001, IBC03, LP01

**Packagings & IBCs - Special Packing Provisions:** PP1

**Portable Tanks & Bulk Containers - Instructions:** T4

**Portable Tanks & Bulk Containers - Special Provisions:** TP1, TP29

## 15 . REGULATORY INFORMATION

**Australian Inventory of Chemical Substances:**

82657-04-3 Bifenthrin (ISO)

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**  
Poisons Schedule: 6

## 16 . OTHER INFORMATION

**Date of Preparation or Last Revision:** 07.03.2026**Prepared by:** MSDS.COM.AU Pty Ltd**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percentLD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals – June 2023"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Sundew Solutions Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.