

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: BEETLEBETA® 125 SC

INSECTICIDE Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

Insecticide spray for general pest control use.

Details of Manufacturer or Importer:

Sundew Solutions Pty Ltd
Unit 11, 4 Dunlop Court
Bayswater VIC 3153

Phone Number: 1800 786 339

Emergency telephone number: Call Poisons Information Centre 13 11 26.

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



skull and crossbones

Acute Toxicity (Oral) 3 H301 Toxic if swallowed.

Acute Toxicity (Inhalation) 3 H331 Toxic if inhaled.



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H301+H331 Toxic if swallowed or if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P273 Avoid release to the environment.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P320 Specific treatment is urgent (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P331 Do not induce vomiting

P391 Collect spillage.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 1)

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

68359-37-5	alpha-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate  Acute Toxicity (Oral) 1, H300; Acute Toxicity (Inhalation) 3, H331;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	12.5%
57-55-6	1,2-Propanediol	4-6%
2634-33-5	1,2-benzisothiazol-3(2H)-one  Serious Eye Damage/Irritation 1, H318;  Aquatic Acute 1, H400;  Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317	0.008%
2682-20-4	3-Isothiazolone, 2-methyl-  Acute Toxicity (Oral) 2, H300; Acute Toxicity (Dermal) 2, H310;  Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318;  Skin Sensitisation 1, H317	0.008%

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin irritation, remove contaminated clothing and wash affected areas with water and soap for 10 minutes. Seek medical attention.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. Inhalation may cause chest tightness, bronchial hypersecretion and pulmonary oedema.

Skin Contact: May cause mild skin irritation, numbness, stinging or burning sensation.

Eye Contact: May cause eye irritation, stinging, reddening and watering.

Ingestion: Toxic if swallowed. Ingestion causes nausea, vomiting, diarrhoea, abdominal pain, and salivation.

Potential CNS effects are dizziness, blurred vision, headache, listlessness, anorexia, somnolence, seizures, convulsions, tremor and coma.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, carbon dioxide, foam and dry chemical.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, hydrogen cyanide, hydrogen fluoride and hydrogen chloride.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 2)

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area, preventing runoff from entering drains.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight and heat. Keep away from oxidising agents, strong acids and bases.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

57-55-6 1,2-Propanediol

WES	TWA: 474* 10** mg/m ³ , 150* ppm *vapour&particulates;**particulates only
-----	---

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 3)

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Form:	Liquid
Colour:	White
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	4.5-5 (undiluted)
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	100 °C
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Relative Density at 20 °C:	1.037
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water) at 22 °C:	6.18 log POW (Beta-cyfluthrin)
Viscosity at 20 °C:	40-120 mPas

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Direct sunlight and heat.

Incompatible Materials: Oxidising agents, strong acids and bases.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, hydrogen cyanide, hydrogen fluoride and hydrogen chloride.

11 . TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification: No information available

Acute Health Effects

Inhalation:

Toxic if inhaled. Inhalation may cause chest tightness, bronchial hypersecretion and pulmonary oedema.

Skin: May cause skin irritation, numbness, stinging or burning sensation.

Eye: May cause eye irritation, stinging, reddening and watering.

Ingestion:

Toxic if swallowed. Ingestion causes nausea, vomiting, diarrhoea, abdominal pain, and salivation.

Potential CNS effects are dizziness, blurred vision, headache, listlessness, anorexia, somnolence, seizures, convulsions, tremor and coma. Vapours may cause respiratory discomfort. Inhalation of high vapour concentration may cause similar to that of ingestion.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 4)

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for beta-cyfluthrin for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2017).

12 . ECOLOGICAL INFORMATION

Ecotoxicity: Beta-cyfluthrin is toxic to bees. It has a low toxicity to birds, mammals and earthworms.

Aquatic toxicity:

Fish toxicity: $LC_{50}=0.33 \mu\text{g/L/96 hr}$

Daphnia toxicity: $LC_{50} = 0.29 \mu\text{g/L/48 hr}$

Toxicity to algae: $EC_{50} > 10 \mu\text{g/L/96 hr}$

Highly toxic to aquatic life with long lasting effects.

Persistence and Degradability:

The degradation of betacyfluthrin is rapid in different soils. It is readily biodegradable.

Bioaccumulative Potential: The bioconcentration factor (BCF) of betacyfluthrin is 506.

Mobility in Soil: No information available

Other adverse effects: No information available

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number

ADG

IMDG, IATA

Not regulated

UN3082

Proper Shipping Name

ADG

IMDG, IATA

Not regulated

ENVIRONMENTALLY HAZARDOUS SUBSTANCE ,
LIQUID, N.O.S.

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 7)

Dangerous Goods Class**ADG Class:**

Not regulated

IMDG Class:

9 Miscellaneous dangerous substances and articles.

Packing Group:**ADG**

Not regulated

IMDG, IATA

III

Marine pollutant:

No

EMS Number:

F-A,S-F

Hazchem Code:

.3Z

Special Provisions:

179, 274, 331, 335, AU01

Limited Quantities:

5L

Packagings & IBCs - Packing Instruction:

P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1**Portable Tanks & Bulk Containers - Instructions:** T4**Portable Tanks & Bulk Containers - Special****Provisions:**

TP1, TP29

15 . REGULATORY INFORMATION**Australian Inventory of Chemical Substances:**

68359-37-5	alpha-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
57-55-6	1,2-Propanediol
2634-33-5	1,2-benzisothiazol-3(2H)-one
2682-20-4	3-Isothiazolone, 2-methyl-

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

APVMA Approval No.: 66448

Registration status

AICS, AU released w/o restriction f. Sundew / not listed

® BeetleBETA is a registered trademark of Sundew Solutions Pty Ltd.

SAFETY DATA SHEET

According to Safe Work Australia

Printing Date 20.07.2026

Revision: July 2031

Product Name: BEETLEBETA® 125 SC

(Contd. of page 7)

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 20.07.2026**Prepared by:****Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 1: Acute toxicity – Category 1

Acute Toxicity (Oral) 2: Acute toxicity – Category 2

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Sundew Solutions Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.